

We Claim:

1. A substance container, the container comprising:
a body including a first side panel and a top surface, wherein at least
a portion of the first side panel includes a double panel thickness;
5 a first aperture located on the body, wherein the first aperture
accommodates a dispensing assembly; and
a second aperture located on the body wherein the second aperture
accommodates a filling assembly, wherein the filling assembly does not protrude
past a plane represented by a top surface of the body.

10 2. The container of claim 1 further including a bag.

3. The container of claim 2 further including a bottom support to
buttress the bag.

15 4. The container of claim 3 wherein the body includes a bottom panel
and the bottom support is positioned at an angle relative to a plane represented by
the bottom panel of the body.

5. The container of claim 1 further including insulation disposed on a
least a portion of an interior surface of the body.

20 6. The container of claim 1 wherein side walls of an assembled body
form a cavity accessible from an outside of the body without disassembling the
body.

7. The container of claim 1 wherein a top side of the body includes a
recessed surface below the top surface.

8. The container of claim 1 wherein the body comprises a corrugated
packaging.

25 9. The container of claim 8 wherein the corrugated packaging
comprises corrugated cardboard.

10. The container of claim 1 further including a dispensing assembly, wherein the dispensing assembly comprises a pump.

11. A container for containing substances, the container comprising:
a body including a first side panel and a top panel, wherein the top panel includes a top surface and a recessed surface, wherein at least a portion of the first side wall includes a double panel thickness; and
a filling assembly located at the recessed portion of the top panel, wherein the filling assembly does not protrude past a plane represented by the top surface of the top panel.

12. The container of claim 11 further including:
a first aperture located on the body, wherein the first aperture accommodates a dispensing assembly; and
a second aperture located on the recessed portion of the top panel.

13. The container of claim 12 further including a dispensing assembly, wherein the dispensing assembly comprises a pump.

14. The container of claim 11 further including a bag.

15. The container of claim 14 further including a bottom support to buttress the bag.

16. The container of claim 15 wherein the body includes a bottom panel and the bottom support is positioned at an angle relative to a plane represented by the bottom panel.

17. The container of claim 11 further including insulation disposed on at least a portion of an interior surface of the body.

18. The container of claim 11 wherein side walls of an assembled body form a cavity accessible from an outside of the body without disassembling the body.

19. The container of claim 11 wherein the body comprises a corrugated packaging.

20. The container of claim 19 wherein the corrugated packaging comprises corrugated cardboard.